

Care Quality Commission

Inspection Evidence Table

The Belgravia Surgery (1-572932162)

Inspection date: 21 November 2019

Date of data download: 15 November 2019

Overall rating: Good

Please note: Any Quality Outcomes Framework (QOF) data relates to 2018/19.

Safe

Rating: Good

Safety systems and processes

The practice had clear systems, practices and processes to keep people safe and safeguarded from abuse.

Safeguarding	Y/N/Partial
There was a lead member of staff for safeguarding processes and procedures.	Yes
Safeguarding systems, processes and practices were developed, implemented and communicated to staff.	Yes
There were policies covering adult and child safeguarding which were accessible to all staff.	Yes
Policies took account of patients accessing any online services.	Yes
Policies and procedures were monitored, reviewed and updated.	Yes
Partners and staff were trained to appropriate levels for their role.	Yes
There was active and appropriate engagement in local safeguarding processes.	Yes
The Out of Hours service was informed of relevant safeguarding information.	Yes
There were systems to identify vulnerable patients on record.	Yes
Disclosure and Barring Service (DBS) checks were undertaken where required.	No
Staff who acted as chaperones were trained for their role.	Yes
There were regular discussions between the practice and other health and social care professionals such as health visitors, school nurses, community midwives and social workers to support and protect adults and children at risk of significant harm.	Yes
<ul style="list-style-type: none">Clinical staff had DBS checks upon employment (DBS checks identify whether a person has a criminal record or is on an official list of people barred from working in roles where they may have contact with children or adults who may be vulnerable).	

Safeguarding	Y/N/Partial
<ul style="list-style-type: none"> Once the probationary period had been completed the only non-clinical staff who received a DBS check were those who acted as chaperones. However, there was no DBS policy or risk assessment in place to cover staff who had not received a DBS check. 	

Recruitment systems	Y/N/Partial
Recruitment checks were carried out in accordance with regulations (including for agency staff and locums).	Partial
Staff vaccination was maintained in line with current Public Health England (PHE) guidance if relevant to role.	Yes
There were systems to ensure the registration of clinical staff (including nurses and pharmacists) was checked and regularly monitored.	Yes

Safety systems and records	Y/N/Partial
There was a record of portable appliance testing or visual inspection by a competent person. Date of last inspection/test: March 2019	Yes
There was a record of equipment calibration. Date of last calibration: March 2019	Yes
There were risk assessments for any storage of hazardous substances for example, liquid nitrogen, storage of chemicals.	Yes
There was a fire procedure.	Yes
There was a record of fire extinguisher checks. Date of last check: October 2019	Yes
There was a log of fire drills. Date of last drill: November 2019	Yes
There was a record of fire alarm checks. Date of last check: November 2019	Yes
There was a record of fire training for staff. Date of last training: September 2019	Yes
There were fire marshals.	Yes
A fire risk assessment had been completed. Date of completion: September 2019?	Yes
Actions from fire risk assessment were identified and completed.	Yes
During the last fire drill, it was realised that the business continuity plan needed to be updated as the meeting point name had changed. We saw that this had been done.	

Health and safety	Y/N/Partial
-------------------	-------------

Premises/security risk assessment had been carried out. Date of last assessment: October 2019	Yes
Health and safety risk assessments had been carried out and appropriate actions taken. Date of last assessment: October 2019	Yes

Infection prevention and control

Appropriate standards of cleanliness and hygiene were met.

	Y/N/Partial
There was an infection risk assessment and policy.	Yes
Staff had received effective training on infection prevention and control.	Yes
Infection prevention and control audits were carried out. Date of last infection prevention and control audit: August 2019	Yes
The practice had acted on any issues identified in infection prevention and control audits.	Yes
There was a system to notify Public Health England of suspected notifiable diseases.	Yes
The arrangements for managing waste and clinical specimens kept people safe.	Yes
Following a recent infection control audit, the sharps bins were mounted on the walls rather than being placed on the desks and some of the patients seating had been replaced.	

Risks to patients

There were adequate systems to assess, monitor and manage risks to patient safety.

	Y/N/Partial
There was an effective approach to managing staff absences and busy periods.	Yes
There was an effective induction system for temporary staff tailored to their role.	Yes
Comprehensive risk assessments were carried out for patients.	Yes
Risk management plans for patients were developed in line with national guidance.	Yes
The practice was equipped to deal with medical emergencies (including suspected sepsis) and staff were suitably trained in emergency procedures.	Yes
Clinicians knew how to identify and manage patients with severe infections including sepsis.	Yes
Receptionists were aware of actions to take if they encountered a deteriorating or acutely unwell patient and had been given guidance on identifying such patients.	Yes
There was a process in the practice for urgent clinical review of such patients.	Yes
When there were changes to services or staff the practice assessed and monitored the impact on safety.	Yes
The practice ensured that adequate cover was always in place as the admin and reception teams could provide cross cover in the event of unplanned leave or sickness. The healthcare assistant had also	

been trained to summarise new patient notes and code clinical information on the patient record.

Information to deliver safe care and treatment

Staff had the information they needed to deliver safe care and treatment.

	Y/N/Partial
Individual care records, including clinical data, were written and managed securely and in line with current guidance and relevant legislation.	Yes
There was a system for processing information relating to new patients including the summarising of new patient notes.	Yes
There were systems for sharing information with staff and other agencies to enable them to deliver safe care and treatment.	Yes
Referral letters contained specific information to allow appropriate and timely referrals.	Yes
Referrals to specialist services were documented and there was a system to monitor delays in referrals.	Yes
There was a documented approach to the management of test results and this was managed in a timely manner.	Yes
There was appropriate clinical oversight of test results, including when reviewed by non-clinical staff.	Yes
The practice demonstrated that when patients use multiple services, all the information needed for their ongoing care was shared appropriately and in line with relevant protocols.	Yes

Appropriate and safe use of medicines

The practice had systems for the appropriate and safe use of medicines, including medicines optimisation

Indicator	Practice	CCG average	England average	England comparison
Number of antibacterial prescription items prescribed per Specific Therapeutic group Age-sex Related Prescribing Unit (STAR PU) (01/07/2018 to 30/06/2019) <small>(NHS Business Service Authority - NHSBSA)</small>	0.56	0.52	0.87	Variation (positive)
The number of prescription items for co-amoxiclav, cephalosporins and quinolones as a percentage of the total number of prescription items for selected antibacterial drugs (BNF 5.1 sub-set). (01/07/2018 to 30/06/2019) <small>(NHSBSA)</small>	7.8%	9.9%	8.6%	No statistical variation
Average daily quantity per item for Nitrofurantoin 50 mg tablets and capsules, Nitrofurantoin 100 mg m/r capsules, Pivmecillinam 200 mg tablets and Trimethoprim 200 mg tablets prescribed for uncomplicated urinary tract	5.59	5.80	5.63	No statistical variation

Indicator	Practice	CCG average	England average	England comparison
infection (01/01/2019 to 30/06/2019) (NHSBSA)				
Average daily quantity of oral NSAIDs prescribed per Specific Therapeutic Group Age-sex Related Prescribing Unit (STAR-PU) (01/01/2019 to 30/06/2019) (NHSBSA)	0.40	1.26	2.08	Significant Variation (positive)

Medicines management	Y/N/Partial
The practice ensured medicines were stored safely and securely with access restricted to authorised staff.	Yes
Blank prescriptions were kept securely and their use monitored in line with national guidance.	Yes
Staff had the appropriate authorisations to administer medicines (including Patient Group Directions or Patient Specific Directions).	Partial
The practice could demonstrate the prescribing competence of non-medical prescribers, and there was regular review of their prescribing practice supported by clinical supervision or peer review.	Yes
There was a process for the safe handling of requests for repeat medicines and evidence of structured medicines reviews for patients on repeat medicines.	Yes
The practice had a process and clear audit trail for the management of information about changes to a patient's medicines including changes made by other services.	Yes
There was a process for monitoring patients' health in relation to the use of medicines including high risk medicines (for example, warfarin, methotrexate and lithium) with appropriate monitoring and clinical review prior to prescribing.	Yes
The practice monitored the prescribing of controlled drugs. (For example, investigation of unusual prescribing, quantities, dose, formulations and strength).	Yes
There were arrangements for raising concerns around controlled drugs with the NHS England Area Team Controlled Drugs Accountable Officer.	Yes
The practice had taken steps to ensure appropriate antimicrobial use to optimise patient outcomes and reduce the risk of adverse events and antimicrobial resistance.	Yes
For remote or online prescribing there were effective protocols for verifying patient identity.	Yes
The practice held appropriate emergency medicines, risk assessments were in place to determine the range of medicines held, and a system was in place to monitor stock levels and expiry dates.	Yes
There was medical oxygen and a defibrillator on site and systems to ensure these were regularly checked and fit for use.	Yes
Vaccines were appropriately stored, monitored and transported in line with PHE guidance to ensure they remained safe and effective.	Yes
<ul style="list-style-type: none"> We examined 22 PGDs and found that 11 had been incorrectly dated. This was rectified on the day of the inspection. 	

Medicines management	Y/N/Partial
<ul style="list-style-type: none"> Safety alerts were kept in electronic format on the shared drive and paper copies were in a folder. We saw evidence of the electronic document, but there had been no alerts added since July 2019. It did, however, record the alerts, actions and outcomes although the paper records that we looked at did not contain details of actions taken. 	

Track record on safety and lessons learned and improvements made

The practice learned and made improvements when things went wrong.

Significant events	Y/N/Partial
The practice monitored and reviewed safety using information from a variety of sources.	Yes
Staff knew how to identify and report concerns, safety incidents and near misses.	Yes
There was a system for recording and acting on significant events.	Yes
Staff understood how to raise concerns and report incidents both internally and externally.	Yes
There was evidence of learning and dissemination of information.	Yes
Number of events recorded in last 12 months:	2
Number of events that required action:	2

Example(s) of significant events recorded and actions by the practice.

Event	Specific action taken
Following a stock check of the vaccine fridge and subsequent rise in internal temperature, the recording device had not been reset. This was not discovered for several days and it could not be proved that the vaccines were still safe to use.	<p>Practice staff checked with the vaccine manufactures and other recognised authorities and were advised to dispose of the vaccines.</p> <p>This occurrence was discussed at a practice meeting and staff were reminded of the need to check the vaccine fridge twice per day, record the temperatures and reset the recording device each time.</p>

Safety alerts	Y/N/Partial
There was a system for recording and acting on safety alerts.	Partial
Staff understood how to deal with alerts.	No
<p>Safety alerts were kept in electronic format on the shared drive and paper copies were in a folder. We saw evidence of the electronic document, but there had been no alerts added since July 2019. It did, however, record the alerts, actions and outcomes although the paper records that we looked at did not contain details of actions taken.</p>	

Effective

Rating: Requires Improvement

Effective needs assessment, care and treatment

Patients' needs were assessed, and care and treatment was delivered in line with current legislation, standards and evidence-based guidance supported by clear pathways and tools.

	Y/N/Partial
The practice had systems and processes to keep clinicians up to date with current evidence-based practice.	Yes
Patients' immediate and ongoing needs were fully assessed. This included their clinical needs and their mental and physical wellbeing.	Yes
Patients presenting with symptoms which could indicate serious illness were followed up in a timely and appropriate way.	Yes
We saw no evidence of discrimination when staff made care and treatment decisions.	Yes
Patients' treatment was regularly reviewed and updated.	Yes
There were appropriate referral pathways to make sure that patients' needs were addressed.	Yes
Patients were told when they needed to seek further help and what to do if their condition deteriorated.	Yes
The practice used digital services securely and effectively and conformed to relevant digital and information security standards.	Yes

Prescribing	Practice performance	CCG average	England average	England comparison
Average daily quantity of Hypnotics prescribed per Specific Therapeutic group Age-sex Related Prescribing Unit (STAR PU) (01/07/2018 to 30/06/2019) <small>(NHSBSA)</small>	0.80	0.91	0.75	No statistical variation

Older people

Population group rating: Good

Findings

- The practice used a clinical tool to identify older patients who were living with moderate or severe frailty. Those identified received a full assessment of their physical, mental and social needs.
- The practice followed up on older patients discharged from hospital. It ensured that their care plans and prescriptions were updated to reflect any extra or changed needs.
- The practice carried out structured annual medication reviews for older patients.
- Staff had appropriate knowledge of treating older people including their psychological, mental and communication needs.
- Health checks, including frailty assessments, were offered to patients over 75 years of age.

- Flu, shingles and pneumonia vaccinations were offered to relevant patients in this age group.

People with long-term conditions

Population group rating: Good

Findings

- Patients with long-term conditions were offered a structured annual review to check their health and medicines needs were being met. For patients with the most complex needs, the GP worked with other health and care professionals to deliver a coordinated package of care.
- Staff who were responsible for reviews of patients with long-term conditions had received specific training.
- GPs followed up patients who had received treatment in hospital or through out of hours services for an acute exacerbation of asthma.
- The practice shared clear and accurate information with relevant professionals when deciding care delivery for patients with long-term conditions.
- The practice could demonstrate how they identified patients with commonly undiagnosed conditions, for example diabetes, chronic obstructive pulmonary disease (COPD), atrial fibrillation and hypertension.
- Adults with newly diagnosed cardio-vascular disease were offered statins.
- Patients with suspected hypertension were offered ambulatory blood pressure monitoring.
- Patients with atrial fibrillation were assessed for stroke risk and treated appropriately.
- Patients with COPD were offered rescue packs.
- Patients with asthma were offered an asthma management plan.

Diabetes Indicators	Practice	CCG average	England average	England comparison
The percentage of patients with diabetes, on the register, in whom the last IFCC-HbA1c is 64 mmol/mol or less in the preceding 12 months (01/04/2018 to 31/03/2019) <small>(QOF)</small>	76.1%	79.6%	79.3%	No statistical variation
Exception rate (number of exceptions).	4.6% (10)	9.3%	12.8%	N/A
The percentage of patients with diabetes, on the register, in whom the last blood pressure reading (measured in the preceding 12 months) is 140/80 mmHg or less (01/04/2018 to 31/03/2019) <small>(QOF)</small>	51.0%	77.8%	78.1%	Significant Variation (negative)
Exception rate (number of exceptions).	10.5% (23)	8.7%	9.4%	N/A
The percentage of patients with diabetes, on the register, whose last measured total cholesterol (measured within the preceding 12 months) is 5 mmol/l or less (01/04/2018 to 31/03/2019) <small>(QOF)</small>	73.5%	79.8%	81.3%	No statistical variation
Exception rate (number of exceptions).	8.7% (19)	10.1%	12.7%	N/A

Any additional evidence or comments

The practice was aware of the low percentage of patients with diabetes, on the register, in whom the last blood pressure reading (measured in the preceding 12 months) was 140/80 mmHg or less and have taken steps to improve this by using existing staff in different ways to support the clinical team. For instance, a phlebotomist has trained to become a healthcare assistant and by taking blood pressure readings of patients, this has allowed practice nurses to focus more on the cervical screening and child immunisation rates.

Other long-term conditions	Practice	CCG average	England average	England comparison
The percentage of patients with asthma, on the register, who have had an asthma review in the preceding 12 months that includes an assessment of asthma control using the 3 RCP questions, NICE 2011 menu ID: NM23 (01/04/2018 to 31/03/2019) <small>(QOF)</small>	74.9%	75.6%	75.9%	No statistical variation
Exception rate (number of exceptions).	2.4% (6)	7.6%	7.4%	N/A
The percentage of patients with COPD who have had a review, undertaken by a healthcare professional, including an assessment of breathlessness using the Medical Research Council dyspnoea scale in the preceding 12 months (01/04/2018 to 31/03/2019) <small>(QOF)</small>	85.7%	88.2%	89.6%	No statistical variation
Exception rate (number of exceptions).	18.1% (17)	13.7%	11.2%	N/A

Indicator	Practice	CCG average	England average	England comparison
The percentage of patients with hypertension in whom the last blood pressure reading measured in the preceding 12 months is 150/90mmHg or less (01/04/2018 to 31/03/2019) <small>(QOF)</small>	72.4%	79.5%	83.0%	Variation (negative)
Exception rate (number of exceptions).	2.3% (20)	3.8%	4.0%	N/A
In those patients with atrial fibrillation with a record of a CHA2DS2-VASc score of 2 or more, the percentage of patients who are currently treated with anti-coagulation drug therapy (01/04/2018 to 31/03/2019) <small>(QOF)</small>	87.5%	86.5%	91.1%	No statistical variation
Exception rate (number of exceptions).	0.0% (0)	5.3%	5.9%	N/A

Families, children and young people

Population group rating: Requires Improvement

Findings

- The practice has not met the minimum 90% target for all four childhood immunisation uptake indicators.

- The practice contacted the parents or guardians of children due to have childhood immunisations.
- The practice had arrangements for following up failed attendance of children's appointments following an appointment in secondary care or for immunisation and would liaise with health visitors when necessary.
- The practice had arrangements to identify and review the treatment of newly pregnant women on long-term medicines. These patients were provided with advice and post-natal support in accordance with best practice guidance.
- Young people could access services for sexual health and contraception.
- Staff had the appropriate skills and training to carry out reviews for this population group.

Child Immunisation	Numerator	Denominator	Practice %	Comparison to WHO target of 95%
The percentage of children aged 1 who have completed a primary course of immunisation for Diphtheria, Tetanus, Polio, Pertussis, Haemophilus influenza type b (Hib), Hepatitis B (Hep B) ((i.e. three doses of DTaP/IPV/Hib/HepB) (01/04/2018 to 31/03/2019) (NHS England)	36	48	75.0%	Below 80% uptake
The percentage of children aged 2 who have received their booster immunisation for Pneumococcal infection (i.e. received Pneumococcal booster) (PCV booster) (01/04/2018 to 31/03/2019) (NHS England)	36	57	63.2%	Below 80% uptake
The percentage of children aged 2 who have received their immunisation for Haemophilus influenza type b (Hib) and Meningitis C (MenC) (i.e. received Hib/MenC booster) (01/04/2018 to 31/03/2019) (NHS England)	40	57	70.2%	Below 80% uptake
The percentage of children aged 2 who have received immunisation for measles, mumps and rubella (one dose of MMR) (01/04/2018 to 31/03/2019) (NHS England)	39	57	68.4%	Below 80% uptake

Note: Please refer to the CQC guidance on Childhood Immunisation data for more information: <https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices>

Any additional evidence or comments

The practice was aware of their low performance but felt that it was reflective of a low number of families in their area, with number of the parents not wanting to immunise their children. Therefore, if one family did not have immunisations, it could have an impact on the overall percentages.

Working age people (including those recently retired and students)

Population group rating: Requires Improvement

Findings

- The practice had systems to inform eligible patients to have the meningitis vaccine, for example before attending university for the first time.
- Patients had access to appropriate health assessments and checks including NHS checks for patients aged 40 to 74. There was appropriate and timely follow-up on the outcome of health assessments and checks where abnormalities or risk factors were identified.
- Patients could book or cancel appointments online and order repeat medication without the need to attend the surgery.

Cancer Indicators	Practice	CCG average	England average	England comparison
The percentage of women eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for women aged 25 to 49, and within 5.5 years for women aged 50 to 64) (01/04/2017 to 31/03/2018) <small>(Public Health England)</small>	48.2%	N/A	80% Target	Below 70% uptake
Females, 50-70, screened for breast cancer in last 36 months (3 year coverage, %) (01/04/2017 to 31/03/2018) <small>(PHE)</small>	55.8%	54.1%	72.1%	N/A
Persons, 60-69, screened for bowel cancer in last 30 months (2.5 year coverage, %)(01/04/2017 to 31/03/2018) <small>(PHE)</small>	44.3%	37.8%	57.3%	N/A
The percentage of patients with cancer, diagnosed within the preceding 15 months, who have a patient review recorded as occurring within 6 months of the date of diagnosis. (01/04/2017 to 31/03/2018) <small>(PHE)</small>	50.0%	59.7%	69.3%	N/A
Number of new cancer cases treated (Detection rate: % of which resulted from a two week wait (TWW) referral) (01/04/2017 to 31/03/2018) <small>(PHE)</small>	37.0%	53.5%	51.9%	No statistical variation

Any additional evidence or comments

- A high number of patients have cervical screening carried out privately and they do not provide information to the practice.
- The practice was without a full-time nurse between October 2017 and August 2018 but since then they have employed a part-time nurse. Because of this the practice have been able to be much more proactive about cervical screening, and they were able to provide unverified data from their clinical system which showed that their uptake for 2018 to 2019 had risen to 70.25%.
- They were also now able to offer nurse appointments at the weekend and evenings at a local hub in Pimlico as well as a late-night surgery from 6:30pm to 8pm on Wednesday.

People whose circumstances make them vulnerable

Population group rating: **Good**

Findings

- Same day appointments and longer appointments were offered when required.
- All patients with a learning disability were offered an annual health check.
- End of life care was delivered in a coordinated way which took into account the needs of those whose circumstances may make them vulnerable.
- The practice had a system for vaccinating patients with an underlying medical condition according to the recommended schedule.
- The practice demonstrated that they had a system to identify people who misused substances.

People experiencing poor mental health (including people with dementia)

Population group rating: **Good**

Findings

- The practice assessed and monitored the physical health of people with mental illness, severe mental illness, and personality disorder by providing access to health checks, interventions for physical activity, obesity, diabetes, heart disease, cancer and access to 'stop smoking' services.
- Same day and longer appointments were offered when required.
- There was a system for following up patients who failed to attend for administration of long-term medication.
- When patients were assessed to be at risk of suicide or self-harm the practice had arrangements in place to help them to remain safe.
- Patients at risk of dementia were identified and offered an assessment to detect possible signs of dementia. When dementia was suspected there was an appropriate referral for diagnosis.
- All staff had received dementia training in the last 12 months.
- Patients with poor mental health, including dementia, were referred to appropriate services.

Mental Health Indicators	Practice	CCG average	England average	England comparison
The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses who have a comprehensive, agreed care plan documented in the record, in the preceding 12 months (01/04/2018 to 31/03/2019) <small>(QOF)</small>	67.2%	88.9%	89.4%	Variation (negative)
Exception rate (number of exceptions).	22.7% (17)	10.3%	12.3%	N/A
The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses whose alcohol consumption has been recorded in the preceding 12 months (01/04/2018 to 31/03/2019) <small>(QOF)</small>	83.3%	91.4%	90.2%	No statistical variation
Exception rate (number of exceptions).	12.0% (9)	7.3%	10.1%	N/A
The percentage of patients diagnosed with	70.6%	85.3%	83.6%	No statistical

dementia whose care plan has been reviewed in a face-to-face review in the preceding 12 months (01/04/2018 to 31/03/2019) (QOF)				variation
Exception rate (number of exceptions).	12.8% (5)	7.8%	6.7%	N/A

Any additional evidence or comments

The practice confirmed that the low figures for comprehensive, agreed care plans being recorded in the record of patients with schizophrenia, bipolar affective disorder and other psychoses was as a result of QOF codes not referencing the care plans within the recording templates. The lead GP had discussed this with other practices in the locality to discover where the issues were and had then put in place revised templates so that the correct codes were being recorded.

Monitoring care and treatment

The practice had a comprehensive programme of quality improvement activity and routinely reviewed the effectiveness and appropriateness of the care provided.

Indicator	Practice	CCG average	England average
Overall QOF score (out of maximum 559)	471	No Data	539.2
Overall QOF score (as a percentage of maximum)	84.3%	No Data	96.4%
Overall QOF exception reporting (all domains)	3.7%	No Data	No Data

	Y/N/Partial
Clinicians took part in national and local quality improvement initiatives.	Yes
The practice had a comprehensive programme of quality improvement and used information about care and treatment to make improvements.	Yes
Quality improvement activity was targeted at the areas where there were concerns.	Yes
The practice regularly reviewed unplanned admissions and readmissions and took appropriate action.	Yes

Effective staffing

The practice was able to demonstrate that staff had the skills, knowledge and experience to carry out their roles.

	Y/N/Partial
Staff had the skills, knowledge and experience to deliver effective care, support and treatment. This included specific training for nurses on immunisation and on sample taking for the cervical screening programme.	Yes
The learning and development needs of staff were assessed.	Yes
The practice had a programme of learning and development.	Yes
Staff had protected time for learning and development.	Yes
There was an induction programme for new staff.	Yes

Induction included completion of the Care Certificate for Health Care Assistants employed since April 2015. Completed by HCA	Yes
Staff had access to regular appraisals, one to ones, coaching and mentoring, clinical supervision and revalidation. They were supported to meet the requirements of professional revalidation.	No
The practice could demonstrate how they assured the competence of staff employed in advanced clinical practice, for example, nurses, paramedics, pharmacists and physician associates.	Yes
There was a clear and appropriate approach for supporting and managing staff when their performance was poor or variable.	Yes
We were told that due to changes in the practice management structure, staff appraisals had not been carried out for at least two years. However, we saw that dates had now been arranged and that all staff would receive an appraisal during the following month.	

Coordinating care and treatment

Staff worked together and with other organisations to deliver effective care and treatment.

Indicator	Y/N/Partial
The contractor has regular (at least 3 monthly) multidisciplinary case review meetings where all patients on the palliative care register are discussed (01/04/2018 to 31/03/2019) (QOF)	Yes
We saw records that showed that all appropriate staff, including those in different teams and organisations, were involved in assessing, planning and delivering care and treatment.	Yes
Care was delivered and reviewed in a coordinated way when different teams, services or organisations were involved.	Yes
Patients received consistent, coordinated, person-centred care when they moved between services.	Yes
For patients who accessed the practice's digital service there were clear and effective processes to make referrals to other services.	Yes

Helping patients to live healthier lives

Staff were consistent and proactive in helping patients to live healthier lives.

	Y/N/Partial
The practice identified patients who may need extra support and directed them to relevant services. This included patients in the last 12 months of their lives, patients at risk of developing a long-term condition and carers.	Yes
Staff encouraged and supported patients to be involved in monitoring and managing their own health.	Yes
Patients had access to appropriate health assessments and checks.	Yes
Staff discussed changes to care or treatment with patients and their carers as necessary.	Yes

The practice supported national priorities and initiatives to improve the population's health, for example, stop smoking campaigns, tackling obesity.	Yes
---	-----

Smoking Indicator	Practice	CCG average	England average	England comparison
The percentage of patients with any or any combination of the following conditions: CHD, PAD, stroke or TIA, hypertension, diabetes, COPD, CKD, asthma, schizophrenia, bipolar affective disorder or other psychoses whose notes record smoking status in the preceding 12 months (01/04/2018 to 31/03/2019) <small>(QOF)</small>	93.4%	95.5%	95.0%	No statistical variation
Exception rate (number of exceptions).	0.7% (9)	1.2%	0.8%	N/A

Consent to care and treatment

The practice always obtained consent to care and treatment in line with legislation and guidance.

	Y/N/Partial
Clinicians understood the requirements of legislation and guidance when considering consent and decision making. We saw that consent was documented.	Yes
Clinicians supported patients to make decisions. Where appropriate, they assessed and recorded a patient's mental capacity to make a decision.	Yes
The practice monitored the process for seeking consent appropriately.	Yes
Policies for any online services offered were in line with national guidance.	Yes

Caring

Rating: Good

Kindness, respect and compassion

Staff treated patients with kindness, respect and compassion. Feedback from patients was positive about the way staff treated people.

	Y/N/Partial
Staff understood and respected the personal, cultural, social and religious needs of patients.	Yes
Staff displayed understanding and a non-judgemental attitude towards patients.	Yes
Patients were given appropriate and timely information to cope emotionally with their care, treatment or condition.	Yes

CQC comments cards	
Total comments cards received.	26
Number of CQC comments received which were positive about the service.	24
Number of comments cards received which were mixed about the service.	2
Number of CQC comments received which were negative about the service.	0

National GP Survey results

Practice population size	Surveys sent out	Surveys returned	Survey Response rate%	% of practice population
7532	430	124	28.8%	1.65%

Indicator	Practice	CCG average	England average	England comparison
The percentage of respondents to the GP patient survey who stated that the last time they had a general practice appointment, the healthcare professional was good or very good at listening to them (01/01/2019 to 31/03/2019)	85.0%	85.9%	88.9%	No statistical variation
The percentage of respondents to the GP patient survey who stated that the last time they had a general practice appointment, the healthcare professional was good or very good at treating them with care and concern (01/01/2019 to 31/03/2019)	85.3%	81.5%	87.4%	No statistical variation
The percentage of respondents to the GP patient survey who stated that during their last GP appointment they had confidence and trust in the healthcare professional they saw	95.6%	92.0%	95.5%	No statistical variation

Indicator	Practice	CCG average	England average	England comparison
or spoke to (01/01/2019 to 31/03/2019)				
The percentage of respondents to the GP patient survey who responded positively to the overall experience of their GP practice (01/01/2019 to 31/03/2019)	80.3%	78.7%	82.9%	No statistical variation

Question	Y/N
The practice carries out its own patient survey/patient feedback exercises.	Yes

Involvement in decisions about care and treatment

Staff helped patients to be involved in decisions about care and treatment.

	Y/N/Partial
Staff communicated with patients in a way that helped them to understand their care, treatment and condition, and any advice given.	Yes
Staff helped patients and their carers find further information and access community and advocacy services.	Yes

National GP Survey results

Indicator	Practice	CCG average	England average	England comparison
The percentage of respondents to the GP patient survey who stated that during their last GP appointment they were involved as much as they wanted to be in decisions about their care and treatment (01/01/2019 to 31/03/2019)	94.8%	90.5%	93.4%	No statistical variation

	Y/N/Partial
Interpretation services were available for patients who did not have English as a first language.	Yes
Patient information leaflets and notices were available in the patient waiting area which told patients how to access support groups and organisations.	Yes
Information leaflets were available in other languages and in easy read format.	Yes
Information about support groups was available on the practice website.	Yes

Carers	Narrative
Percentage and number of carers identified.	0.8% (57) of the 7,583 patients were registered as carers.
How the practice supported carers (including	Carers were identified at point of registration and opportunistically by clinical and non-clinical staff when the patient and/or their carers attended

young carers).	the surgery. Flu vaccinations were offered to carers plus longer appointments if required. If necessary carers were signposted to support organisations and were given carers packs.
How the practice supported recently bereaved patients.	Condolences and offers of emotional and practical support would be offered. GPs would contact recently bereaved patients, either by telephone or via a home visit depending on the circumstances. Bereavement packs were provided and support organisations were signposted.

Privacy and dignity

The practice respected patients' privacy and dignity.

	Y/N/Partial
Curtains were provided in consulting rooms to maintain patients' privacy and dignity during examinations, investigations and treatments.	Yes
Consultation and treatment room doors were closed during consultations.	Yes
A private room was available if patients were distressed or wanted to discuss sensitive issues.	Yes
There were arrangements to ensure confidentiality at the reception desk.	Yes

If the practice offered online services:

	Y/N/Partial
Patients were informed, and consent obtained, if interactions were recorded.	Yes
The practice ensured patients were informed how their records were stored and managed.	Yes
Patients were made aware of the information sharing protocol before online services were delivered.	Yes
The practice had arrangements to make staff and patients aware of privacy settings on video and voice call services.	Yes
Online consultations took place in appropriate environments to ensure confidentiality.	Yes
The practice advised patients on how to protect their online information.	Yes

Responsive

Rating: Good

Responding to and meeting people's needs

The practice organised and delivered services to meet patients' needs.

The practice understood the needs of its local population and had developed services in response to those needs.	Yes
The importance of flexibility, informed choice and continuity of care was reflected in the services provided.	Yes
The facilities and premises were appropriate for the services being delivered.	Yes
The practice made reasonable adjustments when patients found it hard to access services.	Yes
There were arrangements in place for people who need translation services.	Yes
The practice complied with the Accessible Information Standard.	Yes

Practice Opening Times

Day	Time
Opening times:	
Monday	8am – 6:30pm
Tuesday	8am – 6:30pm
Wednesday	8am – 8:30pm
Thursday	8am – 6:30pm
Friday	8am – 6:30pm
Appointments available:	
Monday	8am – 6:30pm
Tuesday	8am – 6:30pm
Wednesday	8am – 8:30pm
Thursday	8am – 6:30pm
Friday	8am – 6:30pm

National GP Survey results

Practice population size	Surveys sent out	Surveys returned	Survey Response rate%	% of practice population
7532	430	124	28.8%	1.65%

Indicator	Practice	CCG average	England average	England comparison
The percentage of respondents to the GP	89.8%	91.3%	94.5%	No statistical variation

Indicator	Practice	CCG average	England average	England comparison
patient survey who stated that at their last general practice appointment, their needs were met (01/01/2019 to 31/03/2019)				

Older people

Population group rating: Good

Findings

- All patients had a named GP who supported them in whatever setting they lived.
- The practice was responsive to the needs of older patients and offered home visits and urgent appointments for those with enhanced needs and complex medical issues.
- The practice provided effective care coordination to enable older patients to access appropriate services.
- In recognition of the religious and cultural observances of some patients, the GP could respond if required, outside of normal working hours, to provide the necessary death certification to enable prompt burial in line with families' wishes when bereavement occurred.

People with long-term conditions

Population group rating: Good

Findings

- Patients with multiple conditions had their needs reviewed in one appointment.
- The practice provided effective care coordination to enable patients with long-term conditions to access appropriate services.
- The practice liaised regularly with the local district nursing team and community matrons to discuss and manage the needs of patients with complex medical issues.
- Care and treatment for people with long-term conditions approaching the end of life was coordinated with other services.

Families, children and young people

Population group rating: Good

Findings

- Appointments were available outside of school times and improved access appointments at the local hubs were also available in the evenings so that children did not need to miss school.
- We found there were systems to identify and follow up children living in disadvantaged circumstances and who were at risk, for example, children and young people who had a high number of accident and emergency (A&E) attendances. Records we looked at confirmed this.
- All parents or guardians calling with concerns about a child were offered a same day appointment when necessary.

Working age people (including those recently retired and students)

Population group rating: Good

Findings

- The needs of this population group had been identified and the practice had adjusted the services

it offered to ensure these were accessible, flexible and offered continuity of care.

- Pre-bookable appointments were also available to all patients at additional locations within the area, as the practice was a member of a GP federation.

People whose circumstances make them vulnerable

Population group rating: Good

Findings

- The practice held a register of patients living in vulnerable circumstances including homeless people and those with a learning disability.
- People in vulnerable circumstances were easily able to register with the practice, including those with no fixed abode such as homeless people.
- The practice provided effective care coordination to enable patients living in vulnerable circumstances to access appropriate services.
- The practice adjusted the delivery of its services to meet the needs of patients with a learning disability.

People experiencing poor mental health (including people with dementia)

Population group rating: Good

Findings

- Priority appointments were allocated when necessary to those experiencing poor mental health.
- Staff interviewed had a good understanding of how to support patients with mental health needs and those patients living with dementia.
- The practice was aware of support groups within the area and signposted their patients to these accordingly.

Timely access to the service

People were able to access care and treatment in a timely way.

National GP Survey results

	Y/N/Partial
Patients with urgent needs had their care prioritised.	Yes
The practice had a system to assess whether a home visit was clinically necessary and the urgency of the need for medical attention.	Yes
Appointments, care and treatment were only cancelled or delayed when absolutely necessary.	Yes

Indicator	Practice	CCG average	England average	England comparison
The percentage of respondents to the GP patient survey who responded positively to how easy it was to get through to someone at their GP practice on the phone (01/01/2019)	89.7%	N/A	68.3%	Variation (positive)

Indicator	Practice	CCG average	England average	England comparison
to 31/03/2019)				
The percentage of respondents to the GP patient survey who responded positively to the overall experience of making an appointment (01/01/2019 to 31/03/2019)	71.2%	64.7%	67.4%	No statistical variation
The percentage of respondents to the GP patient survey who were very satisfied or fairly satisfied with their GP practice appointment times (01/01/2019 to 31/03/2019)	68.8%	60.6%	64.7%	No statistical variation
The percentage of respondents to the GP patient survey who were satisfied with the type of appointment (or appointments) they were offered (01/01/2019 to 31/03/2019)	78.4%	63.5%	73.6%	No statistical variation

Listening and learning from concerns and complaints

Complaints were listened and responded to and used to improve the quality of care.

Complaints	
Number of complaints received in the last year.	6
Number of complaints we examined.	6
Number of complaints we examined that were satisfactorily handled in a timely way.	6
Number of complaints referred to the Parliamentary and Health Service Ombudsman.	0

	Y/N/Partial
Information about how to complain was readily available.	Yes
There was evidence that complaints were used to drive continuous improvement.	Yes

Example(s) of learning from complaints.

Complaint	Specific action taken
A patient complained about the attitude of a member of the reception team.	This was discussed during a staff meeting and it was decided to implement some communication training to highlight the importance of the right attitude to, and awareness of patients fears and concerns.

Well-led

Rating: Good

Leadership capacity and capability

There was compassionate, inclusive and effective leadership at all levels and leaders could demonstrate that they had the capacity and skills to deliver high quality sustainable care.

	Y/N/Partial
Leaders demonstrated that they understood the challenges to quality and sustainability.	Yes
They had identified the actions necessary to address these challenges.	Yes
Staff reported that leaders were visible and approachable.	Yes
There was a leadership development programme, including a succession plan.	Partial
<ul style="list-style-type: none">Although we saw evidence of some succession planning, there was no evidence to show how the practice would replace a key member of staff who was on a fixed term contract and who was due to leave early in 2020.Regular clinical and staff meetings were held to discuss all aspects of the practice. All meetings had an agenda and minutes were recorded.The Partners and practice manager met regularly to discuss staffing issues, finance, premises and contracts to ensure that they were reactive and ready to face the challenges of general practice.Staff said that they felt part of a strong team and supported by the GPs and manager. They could speak to the practice manager, or the salaried GP, if they had concerns or needed pastoral support.	

Vision and strategy

The practice had a clear vision and credible strategy to provide high quality sustainable care.

	Y/N/Partial
The practice had a clear vision and set of values that prioritised quality and sustainability.	Yes
There was a realistic strategy to achieve their priorities.	Yes
The vision, values and strategy were developed in collaboration with staff, patients and external partners.	Yes
Staff knew and understood the vision, values and strategy and their role in achieving them.	Yes
Progress against delivery of the strategy was monitored.	Yes

Culture

The practice had a culture which drove high quality sustainable.

	Y/N/Partial
There were arrangements to deal with any behaviour inconsistent with the vision and values.	Yes
Staff reported that they felt able to raise concerns without fear of retribution.	Yes
There was a strong emphasis on the safety and well-being of staff.	Yes
There were systems to ensure compliance with the requirements of the duty of candour.	Yes
When people were affected by things that went wrong they were given an apology and informed of any resulting action.	Yes
The practice encouraged candour, openness and honesty.	Yes
The practice's speaking up policies were in line with the NHS Improvement Raising Concerns (Whistleblowing) Policy.	Yes
The practice had access to a Freedom to Speak Up Guardian.	Yes
Staff had undertaken equality and diversity training.	Yes
<ul style="list-style-type: none"> • Feedback from staff confirmed that they felt supported and valued. • Staff were aware of the whistleblowing policy and felt able to raise concerns if needed. A no blame culture was in evidence. 	

Governance arrangements

There were clear responsibilities, roles and systems of accountability to support good governance and management.

	Y/N/Partial
There were governance structures and systems which were regularly reviewed.	Yes
Staff were clear about their roles and responsibilities.	Yes
There were appropriate governance arrangements with third parties.	Yes
<ul style="list-style-type: none"> • Policies and procedures were in place and accessible to staff on the computer system. The practice manager regularly reviewed and updated the policies as required. • There was a system in place for investigating, reviewing and learning from complaints and significant events. They were then formally documented centrally and discussed during staff and clinical meetings. • There were health and safety systems in place and equipment was maintained in line with guidance. 	

Managing risks, issues and performance

There were clear and effective processes for managing risks, issues and performance.

	Y/N/Partial
There were comprehensive assurance systems which were regularly reviewed and improved.	Yes
There were processes to manage performance.	Yes
There was a systematic programme of clinical and internal audit.	Yes
There were effective arrangements for identifying, managing and mitigating risks.	Yes
A major incident plan was in place.	Yes
Some staff contact details need updating (previous PM in parts)	
Staff were trained in preparation for major incidents.	Yes
When considering service developments or changes, the impact on quality and sustainability was assessed.	Yes
The practice had undertaken several risk assessments including premises risk assessments. Recommendations from risk assessments had been actioned.	

Appropriate and accurate information

There was a demonstrated commitment to using data and information proactively to drive and support decision.

	Y/N/Partial
Staff used data to adjust and improve performance.	Yes
Performance information was used to hold staff and management to account.	Yes
Our inspection indicated that information was accurate, valid, reliable and timely.	Yes
There were effective arrangements for identifying, managing and mitigating risks.	Yes
Staff whose responsibilities included making statutory notifications understood what this entails.	Yes

If the practice offered online services:

	Y/N/Partial
The provider was registered as a data controller with the Information Commissioner's Office.	Yes
Patient records were held in line with guidance and requirements.	Yes
Any unusual access was identified and followed up.	Yes

Engagement with patients, the public, staff and external partners

The practice involved the public, staff and external partners to sustain high quality and sustainable care.

	Y/N/Partial
Patient views were acted on to improve services and culture.	Yes
The practice had an active Patient Participation Group.	Yes
Staff views were reflected in the planning and delivery of services.	Yes
The practice worked with stakeholders to build a shared view of challenges and of the needs of the population.	Yes

Feedback from Patient Participation Group.

Feedback
The practice worked closely with the Patient Participation Group (PPG). The PPG reported that the practice was very receptive to their suggestions and that the practice always listened and would make changes if they could.

Continuous improvement and innovation

There was evidence of systems and processes for learning, continuous improvement and innovation.

	Y/N/Partial
There was a strong focus on continuous learning and improvement.	Yes
Learning was shared effectively and used to make improvements.	Yes
<ul style="list-style-type: none">Minutes of meetings across the practice staff team showed that there was a focus on development and improvement and that learning from significant events, complaints, training and patient feedback was shared effectively.The practice documentation work flow had been improved and simplified in order to support and reduce the work for the GP and give them more clinical time.Staff were encouraged to develop their clinical and non-clinical skills. We saw evidence of training in the documentation held by the practice.There was a 'no-blame' culture at the practice, to encourage the best possible learning from complaints and significant events.Other areas of improvement included working with other practices in the formation of the local Primary Care Network (PCN).	

Notes: CQC GP Insight

GP Insight assesses a practice's data against all the other practices in England. We assess relative performance for the majority of indicators using a “z-score” (this tells us the number of standard deviations from the mean the data point is), giving us a statistical measurement of a practice's performance in relation to the England average. We highlight practices which significantly vary from the England average (in either a positive or negative direction). We consider that z-scores which are higher than +2 or lower than -2 are at significant levels, warranting further enquiry. Using this technique we can be 95% confident that the practice's performance is genuinely different from the average. It is important to note that a number of factors can affect the Z score for a practice, for example a small denominator or the distribution of the data. This means that there will be cases where a practice's data looks quite different to the average, but still shows as no statistical variation, as we do not have enough confidence that the difference is genuine. There may also be cases where a practice's data looks similar across two indicators, but they are in different variation bands.

The percentage of practices which show variation depends on the distribution of the data for each indicator, but is typically around 10-15% of practices. The practices which are not showing significant statistical variation are labelled as no statistical variation to other practices.

N.B. Not all indicators in the evidence table are part of the GP insight set and those that aren't will not have a variation band.

The following language is used for showing variation:

Variation Bands	Z-score threshold
Significant variation (positive)	≤ -3
Variation (positive)	> -3 and ≤ -2
Tending towards variation (positive)	> -2 and ≤ -1.5
No statistical variation	< 1.5 and > -1.5
Tending towards variation (negative)	≥ 1.5 and < 2
Variation (negative)	≥ 2 and < 3
Significant variation (negative)	≥ 3

Note: for the following indicators the variation bands are different:

- Child Immunisation indicators. These are scored against the World Health Organisation target of 95% rather than the England average. Note that practices that have “Met 90% minimum” have not met the WHO target of 95%.
- The percentage of respondents to the GP patient survey who responded positively to how easy it was to get through to someone at their GP practice on the phone uses a rules based approach for scoring, due to the distribution of the data. This indicator does not have a CCG average.
- The percentage of women eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for women aged 25 to 49, and within 5.5 years for women aged 50 to 64). This indicator does not have a CCG average and is scored against the national target of 80%.

It is important to note that z-scores are not a judgement in themselves, but will prompt further enquiry, as part of our ongoing monitoring of GP practices.

Guidance and Frequently Asked Questions on GP Insight can be found on the following link: <https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices>

Note: The CQC GP Evidence Table uses the most recent validated and publicly available data. In some cases at the time of inspection this data may be relatively old. If during the inspection the practice has provided any more recent data, this can be considered by the inspector. However, it should be noted that any data provided by the practice will be unvalidated and is not directly comparable to the published data. This has been taken into account during the inspection process.

Glossary of terms used in the data.

- **COPD:** Chronic Obstructive Pulmonary Disease
- **PHE:** Public Health England
- **QOF:** Quality and Outcomes Framework
- **STAR-PU:** Specific Therapeutic Group Age-sex weightings Related Prescribing Units. These weighting allow more accurate and meaningful comparisons within a specific therapeutic group by taking into account the types of people who will be receiving that treatment.