

# Care Quality Commission

## Inspection Evidence Table

### Langham Place Surgery (1-566461560)

Inspection date: 4 December 2019

Date of data download: 3 December 2019

## Overall rating: Good

Please note: Any Quality Outcomes Framework (QOF) data relates to 2018/19.

### Effective

Rating: Good

Effective needs assessment, care and treatment

**Patients' needs were assessed, and care and treatment was delivered in line with current legislation, standards and evidence-based guidance supported by clear pathways and tools.**

	Y/N/Partial
The practice had systems and processes to keep clinicians up to date with current evidence-based practice.	Yes
Patients' immediate and ongoing needs were fully assessed. This included their clinical needs and their mental and physical wellbeing.	Yes
Patients presenting with symptoms which could indicate serious illness were followed up in a timely and appropriate way.	Yes
We saw no evidence of discrimination when staff made care and treatment decisions.	Yes
Patients' treatment was regularly reviewed and updated.	Yes
There were appropriate referral pathways to make sure that patients' needs were addressed.	Yes
Patients were told when they needed to seek further help and what to do if their condition deteriorated.	Yes
The practice used digital services securely and effectively and conformed to relevant digital and information security standards.	Yes
Explanation of any answers and additional evidence: The practice had recently introduced a new patient triaging system which was working well for them and which provided patients with pathways dependent on their symptoms. This was offered to those patients who were able to access it and all patients were contacted if they needed to see a clinician.	

Prescribing	Practice performance	CCG average	England average	England comparison
Average daily quantity of Hypnotics prescribed per Specific Therapeutic group Age-sex Related Prescribing Unit (STAR PU) (01/10/2018 to 30/09/2019) <small>(NHSBSA)</small>	0.99	0.73	0.74	No statistical variation

## Older people

## Population group rating: Good

### Findings

- The practice used a clinical tool to identify older patients who were living with moderate or severe frailty. Those identified received a full assessment of their physical, mental and social needs.
- The practice followed up on older patients discharged from hospital. It ensured that their care plans and prescriptions were updated to reflect any extra or changed needs.
- The practice carried out structured annual medication reviews for older patients.
- Staff had appropriate knowledge of treating older people including their psychological, mental and communication needs.
- Health checks, including frailty assessments, were offered to patients over 75 years of age.
- Flu, shingles and pneumonia vaccinations were offered to relevant patients in this age group.
- The practice offered extended appointments to patients with complex needs who needed these.

## People with long-term conditions

Population group rating: **Good**

### Findings

- Patients with long-term conditions were offered a structured annual review to check their health and medicines needs were being met. For patients with the most complex needs, the GP worked with other health and care professionals to deliver a coordinated package of care.
- Staff who were responsible for reviews of patients with long-term conditions had received specific training.
- GPs followed up patients who had received treatment in hospital or through out of hours services for an acute exacerbation of asthma.
- The practice shared clear and accurate information with relevant professionals when deciding care delivery for patients with long-term conditions.
- The practice could demonstrate how they identified patients with commonly undiagnosed conditions, for example diabetes, chronic obstructive pulmonary disease (COPD), atrial fibrillation and hypertension.
- Adults with newly diagnosed cardio-vascular disease were offered statins.
- Patients with suspected hypertension were offered ambulatory blood pressure monitoring.
- Patients with atrial fibrillation were assessed for stroke risk and treated appropriately.
- Patients with COPD were offered rescue packs and the GP partners worked with the local 'breathing space' group for COPD patients.
- Patients with asthma were offered an asthma management plan.
- There were good links with the community diabetes team and the community nurse held joint clinics with the practice nurse.

Diabetes Indicators	Practice	CCG average	England average	England comparison
The percentage of patients with diabetes, on the register, in whom the last IFCC-HbA1c is 64 mmol/mol or less in the preceding 12 months (01/04/2018 to 31/03/2019) <small>(QOF)</small>	77.7%	82.6%	79.3%	No statistical variation
Exception rate (number of exceptions).	19.0% (92)	17.5%	12.8%	N/A
The percentage of patients with diabetes, on the register, in whom the last blood pressure reading (measured in the preceding 12 months) is 140/80 mmHg or less (01/04/2018 to 31/03/2019) <small>(QOF)</small>	72.5%	79.5%	78.1%	No statistical variation
Exception rate (number of exceptions).	11.2% (54)	11.2%	9.4%	N/A

	Practice	CCG average	England average	England comparison
The percentage of patients with diabetes, on the register, whose last measured total cholesterol (measured within the preceding 12 months) is 5 mmol/l or less (01/04/2018 to 31/03/2019) <small>(QOF)</small>	77.3%	82.2%	81.3%	No statistical variation
Exception rate (number of exceptions).	12.6% (61)	14.6%	12.7%	N/A

Other long-term conditions	Practice	CCG average	England average	England comparison
The percentage of patients with asthma, on the register, who have had an asthma review in the preceding 12 months that includes an assessment of asthma control using the 3 RCP questions, NICE 2011 menu ID: NM23 (01/04/2018 to 31/03/2019) <small>(QOF)</small>	78.1%	77.1%	75.9%	No statistical variation
Exception rate (number of exceptions).	30.8% (173)	9.9%	7.4%	N/A
The percentage of patients with COPD who have had a review, undertaken by a healthcare professional, including an assessment of breathlessness using the Medical Research Council dyspnoea scale in the preceding 12 months (01/04/2018 to 31/03/2019) <small>(QOF)</small>	88.7%	92.4%	89.6%	No statistical variation
Exception rate (number of exceptions).	26.8% (42)	14.9%	11.2%	N/A

Indicator	Practice	CCG average	England average	England comparison
The percentage of patients with hypertension in whom the last blood pressure reading measured in the preceding 12 months is 150/90mmHg or less (01/04/2018 to 31/03/2019) <small>(QOF)</small>	83.1%	84.6%	83.0%	No statistical variation
Exception rate (number of exceptions).	5.6% (67)	4.4%	4.0%	N/A
In those patients with atrial fibrillation with a record of a CHA2DS2-VASc score of 2 or more, the percentage of patients who are currently treated with anti-coagulation drug therapy (01/04/2018 to 31/03/2019) <small>(QOF)</small>	97.1%	93.4%	91.1%	Tending towards variation (positive)
Exception rate (number of exceptions).	7.3% (11)	4.4%	5.9%	N/A

#### Any additional evidence or comments

Although some of the exception reporting at the practice was high, we found that the practice was excepting patients appropriately following protocols to ensure this was done safely.

### Families, children and young people

### Population group rating: Good

#### Findings

- The practice has met the minimum 90% target for four of four childhood immunisation uptake indicators. The practice has not met the WHO based national target of 95% (the recommended standard for achieving herd immunity) for four of four childhood immunisation uptake indicators.
- The practice contacted the parents or guardians of children due to have childhood immunisations.
- The practice had arrangements for following up failed attendance of children's appointments following an appointment in secondary care or for immunisation and would liaise with health visitors when necessary.
- The practice had arrangements to identify and review the treatment of newly pregnant women on long-term medicines. These patients were provided with advice and post-natal support in accordance with best practice guidance.
- Young people could access services for sexual health and contraception. The practice ran drop in sessions for their student population.
- Staff had the appropriate skills and training to carry out reviews for this population group.

Child Immunisation	Numerator	Denominator	Practice %	Comparison to WHO target of 95%
The percentage of children aged 1 who have completed a primary course of immunisation for Diphtheria, Tetanus, Polio, Pertussis, Haemophilus influenza type b (Hib), Hepatitis B (Hep B) ((i.e. three doses of DTaP/IPV/Hib/HepB) (01/04/2018 to 31/03/2019) (NHS England)	116	124	93.5%	Met 90% minimum
The percentage of children aged 2 who have received their booster immunisation for Pneumococcal infection (i.e. received Pneumococcal booster) (PCV booster) (01/04/2018 to 31/03/2019) (NHS England)	129	143	90.2%	Met 90% minimum
The percentage of children aged 2 who have received their immunisation for Haemophilus influenza type b (Hib) and Meningitis C (MenC) (i.e. received Hib/MenC booster) (01/04/2018 to 31/03/2019) (NHS England)	129	143	90.2%	Met 90% minimum
The percentage of children aged 2 who have received immunisation for measles, mumps and rubella (one dose of MMR) (01/04/2018 to 31/03/2019) (NHS England)	129	143	90.2%	Met 90% minimum

Note: Please refer to the CQC guidance on Childhood Immunisation data for more information: <https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices>

### Any additional evidence or comments

Immunisation data met targets and the practice worked to ensure childhood immunisations were administered as needed.

### Working age people (including those recently retired and students)

Population group rating: **Good**

### Findings

- The practice had a higher than average student population and ran drop in sessions for these patients. They also attended freshers weeks to allow patients to register with them.
- The practice had systems to inform eligible patients to have the meningitis vaccine, for example before attending university for the first time.
- Patients had access to appropriate health assessments and checks including NHS checks for patients aged 40 to 74. There was appropriate and timely follow-up on the outcome of health assessments and checks where abnormalities or risk factors were identified.
- Patients could book or cancel appointments online and order repeat medication without the need to attend the surgery.
- The practice offered extended hours two days a week to assist working people in seeing a clinician.

Cancer Indicators	Practice	CCG average	England average	England comparison
The percentage of women eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for women aged 25 to 49, and within 5.5 years for women aged 50 to 64) (01/04/2017 to 31/03/2018) (Public Health England)	69.8%	N/A	80% Target	Below 70% uptake
Females, 50-70, screened for breast cancer in last 36 months (3 year coverage, %) (01/04/2017 to 31/03/2018) (PHE)	74.3%	74.9%	72.1%	N/A
Persons, 60-69, screened for bowel cancer in last 30 months (2.5 year coverage, %)(01/04/2017 to 31/03/2018) (PHE)	53.0%	56.6%	57.3%	N/A
The percentage of patients with cancer, diagnosed within the preceding 15 months, who have a patient review recorded as occurring within 6 months of the date of diagnosis. (01/04/2017 to 31/03/2018) (PHE)	62.2%	69.4%	69.3%	N/A
Number of new cancer cases treated (Detection rate: % of which resulted from a two week wait (TWW) referral) (01/04/2017 to 31/03/2018) (PHE)	58.8%	53.0%	51.9%	No statistical variation

#### Any additional evidence or comments

The practice were following up on patients who failed to attend their cervical screening appointments and undertook targeted text messages to those women overdue cervical screening. The practice were taking steps to improve their performance in this area.

#### People whose circumstances make them vulnerable

Population group rating: Good

#### Findings

- Same day appointments and longer appointments were offered when required.
- All patients with a learning disability were offered an annual health check.
- End of life care was delivered in a coordinated way which took into account the needs of those whose circumstances may make them vulnerable.
- The practice had a system for vaccinating patients with an underlying medical condition according to the recommended schedule.
- The practice demonstrated that they had a system to identify people who misused substances.
- Good safeguarding systems and processes ensured that vulnerable patients were appropriately seen and monitored at the practice and we saw evidence where referrals were made as needed.

**People experiencing poor mental health (including people with dementia)**

**Population group rating: Good**

**Findings**

- The practice assessed and monitored the physical health of people with mental illness, severe mental illness, and personality disorder by providing access to health checks, interventions for physical activity, obesity, diabetes, heart disease, cancer and access to 'stop smoking' services.
- Same day and longer appointments were offered when required.
- There was a system for following up patients who failed to attend for administration of long-term medication.
- When patients were assessed to be at risk of suicide or self-harm the practice had arrangements in place to help them to remain safe.
- Patients at risk of dementia were identified and offered an assessment to detect possible signs of dementia. When dementia was suspected there was an appropriate referral for diagnosis.
- The service had a "Pets As Therapy" dog which came into the practice to engage with patients to improve their well-being.
- Patients with poor mental health, including dementia, were referred to appropriate services.

Mental Health Indicators	Practice	CCG average	England average	England comparison
The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses who have a comprehensive, agreed care plan documented in the record, in the preceding 12 months (01/04/2018 to 31/03/2019) <small>(QOF)</small>	93.0%	93.6%	89.4%	No statistical variation
Exception rate (number of exceptions).	34.5% (30)	17.2%	12.3%	N/A
The percentage of patients with schizophrenia, bipolar affective disorder and other psychoses whose alcohol consumption has been recorded in the preceding 12 months (01/04/2018 to 31/03/2019) <small>(QOF)</small>	90.2%	94.0%	90.2%	No statistical variation
Exception rate (number of exceptions).	29.9% (26)	13.5%	10.1%	N/A
The percentage of patients diagnosed with dementia whose care plan has been reviewed in a face-to-face review in the preceding 12 months (01/04/2018 to 31/03/2019) <small>(QOF)</small>	79.5%	84.6%	83.6%	No statistical variation
Exception rate (number of exceptions).	13.7% (7)	9.0%	6.7%	N/A

#### Any additional evidence or comments

We looked at exception rates during our inspection and found that patients were being excepted appropriately.

#### Monitoring care and treatment

**The practice had a comprehensive programme of quality improvement activity and routinely reviewed the effectiveness and appropriateness of the care provided.**

Indicator	Practice	CCG average	England average
Overall QOF score (out of maximum 559)	545.4	No Data	539.2
Overall QOF score (as a percentage of maximum)	97.6%	No Data	96.4%
Overall QOF exception reporting (all domains)	7.3%	No Data	No Data

	Y/N/Partial
Clinicians took part in national and local quality improvement initiatives.	Yes
The practice had a comprehensive programme of quality improvement and used information about care and treatment to make improvements.	Yes
Quality improvement activity was targeted at the areas where there were concerns.	Yes
The practice regularly reviewed unplanned admissions and readmissions and took appropriate action.	Yes

Examples of improvements demonstrated because of clinical audits or other improvement activity in past two years

Three cycle minor surgery audit completed to improve diagnosis and practice. Fully audited and reported with outcomes to improve quality of service delivery.  
Warfarin prescribing audit – fully reported to ensure safety of prescribing. 60 patients being prescribed Warfarin with no outstanding INRs.  
Medicines management audit to improve and monitor prescribing practise.

## Effective staffing

**The practice was able to demonstrate that staff had the skills, knowledge and experience to carry out their roles.**

	Y/N/Partial
Staff had the skills, knowledge and experience to deliver effective care, support and treatment. This included specific training for nurses on immunisation and on sample taking for the cervical screening programme.	Yes
The learning and development needs of staff were assessed.	Yes
The practice had a programme of learning and development.	Yes
Staff had protected time for learning and development.	Yes
There was an induction programme for new staff.	Yes
Induction included completion of the Care Certificate for Health Care Assistants employed since April 2015.	Yes
Staff had access to regular appraisals, one to ones, coaching and mentoring, clinical supervision and revalidation. They were supported to meet the requirements of professional revalidation.	Yes
The practice could demonstrate how they assured the competence of staff employed in advanced clinical practice, for example, nurses, paramedics, pharmacists and physician associates.	Yes
There was a clear and appropriate approach for supporting and managing staff when their performance was poor or variable.	Yes
<p>Explanation of any answers and additional evidence:</p> <p>Staff had Protected Learning Time on the day of our inspection and this was a regular feature of their work at the practice. Staff felt very well supported by their line managers and there was a system of regular staff meetings and appraisals. There was a focus on learning and development for staff who told us that they could access training as and when they needed it. We found there to be a positive culture in the practice which supported staff in their current roles and encouraged them to develop if they wanted to.</p>	

## Coordinating care and treatment

**Staff worked together and with other organisations to deliver effective care and treatment.**

Indicator	Y/N/Partial
The contractor has regular (at least 3 monthly) multidisciplinary case review meetings where all patients on the palliative care register are discussed (01/04/2018 to 31/03/2019) (QOF)	Yes
We saw records that showed that all appropriate staff, including those in different teams and organisations, were involved in assessing, planning and delivering care and treatment.	Yes
Care was delivered and reviewed in a coordinated way when different teams, services or organisations were involved.	Yes
Patients received consistent, coordinated, person-centred care when they moved between	Yes

services.	
For patients who accessed the practice's digital service there were clear and effective processes to make referrals to other services.	Yes

## Helping patients to live healthier lives

### Staff were consistent and proactive in helping patients to live healthier lives.

	Y/N/Partial
The practice identified patients who may need extra support and directed them to relevant services. This included patients in the last 12 months of their lives, patients at risk of developing a long-term condition and carers.	Yes
Staff encouraged and supported patients to be involved in monitoring and managing their own health.	Yes
Patients had access to appropriate health assessments and checks.	Yes
Staff discussed changes to care or treatment with patients and their carers as necessary.	Yes
The practice supported national priorities and initiatives to improve the population's health, for example, stop smoking campaigns, tackling obesity.	Yes
Explanation of any answers and additional evidence: The practice had a social prescriber in the service for one day a week and they had been in place since October 2019. The social prescriber had worked with 30 patients since they started at the practice and had made a number of referrals to community-based services to support patients in improving their health and well-being. As this was a relatively new addition to the practice, the provider had yet to measure and assess the outcomes of this additional post to patients.	

Smoking Indicator	Practice	CCG average	England average	England comparison
The percentage of patients with any or any combination of the following conditions: CHD, PAD, stroke or TIA, hypertension, diabetes, COPD, CKD, asthma, schizophrenia, bipolar affective disorder or other psychoses whose notes record smoking status in the preceding 12 months (01/04/2018 to 31/03/2019) <small>(QOF)</small>	88.6%	94.8%	95.0%	Variation (negative)
Exception rate (number of exceptions).	0.8% (17)	0.8%	0.8%	N/A

## Consent to care and treatment

### The practice obtained consent to care and treatment in line with legislation and guidance.

	Y/N/Partial
Clinicians understood the requirements of legislation and guidance when considering consent and decision making. We saw that consent was documented.	Yes
Clinicians supported patients to make decisions. Where appropriate, they assessed and recorded a patient's mental capacity to make a decision.	Yes
The practice monitored the process for seeking consent appropriately.	Yes
Policies for any online services offered were in line with national guidance.	Yes
Explanation of any answers and additional evidence: Consent was being sought as required for the most part although we did find instances of minor surgical procedures which had taken place without full written consent being obtained. We addressed this with the provider who assured us that this would be done every time now and in the future.	

## Well-led

Rating: Good

### Leadership capacity and capability

**There was compassionate, inclusive and effective leadership at all levels.**

	Y/N/Partial
Leaders demonstrated that they understood the challenges to quality and sustainability.	Yes
They had identified the actions necessary to address these challenges.	Yes
Staff reported that leaders were visible and approachable.	Yes
There was a leadership development programme, including a succession plan.	Yes
Explanation of any answers and additional evidence: We found a strong and visible leadership team in place at the practice with clear lead roles within the practice to support the governance systems in place. All staff were developed and there was a succession plan in place to support the leadership team for the future.	

### Vision and strategy

**The practice had a clear vision and credible strategy to provide high quality sustainable care.**

	Y/N/Partial
The practice had a clear vision and set of values that prioritised quality and sustainability.	Yes
There was a realistic strategy to achieve their priorities.	Yes
The vision, values and strategy were developed in collaboration with staff, patients and external partners.	Yes
Staff knew and understood the vision, values and strategy and their role in achieving them.	Yes
Progress against delivery of the strategy was monitored.	Yes
Explanation of any answers and additional evidence: The practice had a clear vision that staff understood and worked to around providing high quality care to their patients. There was a focus on learning at the practice which worked to drive improvement. Staff were not always clear on the values but were able to talk to us about how they worked to care for and respect patients.	

## Culture

### The practice had a culture which drove high quality sustainable care.

	Y/N/Partial
There were arrangements to deal with any behaviour inconsistent with the vision and values.	Yes
Staff reported that they felt able to raise concerns without fear of retribution.	Yes
There was a strong emphasis on the safety and well-being of staff.	Yes
There were systems to ensure compliance with the requirements of the duty of candour.	Yes
When people were affected by things that went wrong they were given an apology and informed of any resulting action.	Yes
The practice encouraged candour, openness and honesty.	Yes
The practice's speaking up policies were in line with the NHS Improvement Raising Concerns (Whistleblowing) Policy.	Yes
The practice had access to a Freedom to Speak Up Guardian.	Yes
Staff had undertaken equality and diversity training.	Yes
<p>Explanation of any answers and additional evidence:</p> <p>Staff described an open and supportive culture within the practice. They felt able to raise concerns and issues and there were systems in place to make sure staff could feedback to management. Communication within the practice was good, with regular clinical, management and staff meetings taking place. The practice recorded significant events and complaints and a dedicated member of staff had oversight of these to ensure they were responded to fully and in line with the requirements of the duty of candour.</p>	

### Examples of feedback from staff or other evidence about working at the practice

Source	Feedback
Staff interviews	Staff were positive about working at the practice and described a supportive working environment in which teams worked well together. Staff told us they had opportunities for learning and development and that management were accessible to them.

## Governance arrangements

### There were clear responsibilities, roles and systems of accountability to support good governance and management.

	Y/N/Partial
There were governance structures and systems which were regularly reviewed.	Yes
Staff were clear about their roles and responsibilities.	Yes
There were appropriate governance arrangements with third parties.	Yes
Explanation of any answers and additional evidence:	

There was a clear management structure in the place at the practice including clearly defined roles and responsibilities. There were lead roles in place to ensure effective risk management and governance. Leaders were fully aware of the challenges within the practice and had plans in place to address them.

## Managing risks, issues and performance

**There were some clear and effective processes for managing risks, issues and performance.**

	Y/N/Partial
There were comprehensive assurance systems which were regularly reviewed and improved.	Yes
There were processes to manage performance.	Yes
There was a systematic programme of clinical and internal audit.	Yes
There were effective arrangements for identifying, managing and mitigating risks.	Partial
A major incident plan was in place.	Yes
Staff were trained in preparation for major incidents.	Yes
When considering service developments or changes, the impact on quality and sustainability was assessed.	Yes
Explanation of any answers and additional evidence: We found that risks were being identified and mitigated at the practice. However, the fire risk assessment we reviewed was dated 2009 and although this had been regularly reviewed and updated, there had been some changes to the building since then. We raised this with the practice manager who assured us that a new fire risk assessment would be completed following our inspection. We looked at how prescriptions were managed within the practice and found that improvement was needed here. Serial numbers on prescriptions were not always being logged as they moved around the building. The practice assured us that a system would be implemented as a result of our feedback.	

## Appropriate and accurate information

**There was a demonstrated commitment to using data and information proactively to drive and support decision making.**

	Y/N/Partial
Staff used data to adjust and improve performance.	Yes
Performance information was used to hold staff and management to account.	Yes
Our inspection indicated that information was accurate, valid, reliable and timely.	Yes
There were effective arrangements for identifying, managing and mitigating risks.	Yes
Staff whose responsibilities included making statutory notifications understood what this entails.	Yes

## Engagement with patients, the public, staff and external partners

**The practice involved the public, staff and external partners to sustain high quality and sustainable care.**

	Y/N/Partial
Patient views were acted on to improve services and culture.	Yes
The practice had an active Patient Participation Group.	Yes
Staff views were reflected in the planning and delivery of services.	Yes
The practice worked with stakeholders to build a shared view of challenges and of the needs of the population.	Yes
Explanation of any answers and additional evidence: The practice regularly sought the views of the patients and engaged well with the PPG. Satisfaction rates were relatively high for patient feedback and the practice was able to demonstrate how they used feedback to shape the service. For example, they had introduced a patient triaging system to respond to concerns about access. We saw the positive impact on this for patients who were happy and able to use it. The practice had also employed three paramedics who were working effectively within the practice.	

### Feedback from Patient Participation Group.

Feedback
The Patient Participation Group (PPG) representative we met with as part of the inspection was positive about the ways in which the group were able to work with the practice. They felt the practice were forward thinking and that they responded well to suggestions for improvement made by the group. The PPG gave the example of the lift being installed as an example of this.
The PPG felt that access to appointments was an issue at the practice but described ways in which the practice were working to tackle this to improve things for patients.

## Continuous improvement and innovation

**There were systems and processes for learning, continuous improvement and innovation.**

	Y/N/Partial
There was a strong focus on continuous learning and improvement.	Yes
Learning was shared effectively and used to make improvements.	Yes

### Examples of continuous learning and improvement

We saw a number of audits had taken place at the practice to assess and improve the quality of care and treatment delivered:

Minor Surgery Enhanced Service Audit 2018 – 19  
Second line Antibiotic Prescribing Audit  
Warfarin Audit

Significant Event/Serious Incident Audits

## Notes: CQC GP Insight

GP Insight assesses a practice's data against all the other practices in England. We assess relative performance for the majority of indicators using a “z-score” (this tells us the number of standard deviations from the mean the data point is), giving us a statistical measurement of a practice's performance in relation to the England average. We highlight practices which significantly vary from the England average (in either a positive or negative direction). We consider that z-scores which are higher than +2 or lower than -2 are at significant levels, warranting further enquiry. Using this technique we can be 95% confident that the practice's performance is genuinely different from the average. It is important to note that a number of factors can affect the Z score for a practice, for example a small denominator or the distribution of the data. This means that there will be cases where a practice's data looks quite different to the average, but still shows as no statistical variation, as we do not have enough confidence that the difference is genuine. There may also be cases where a practice's data looks similar across two indicators, but they are in different variation bands.

The percentage of practices which show variation depends on the distribution of the data for each indicator, but is typically around 10-15% of practices. The practices which are not showing significant statistical variation are labelled as no statistical variation to other practices.

N.B. Not all indicators in the evidence table are part of the GP insight set and those that aren't will not have a variation band.

The following language is used for showing variation:

Variation Bands	Z-score threshold
Significant variation (positive)	$\leq -3$
Variation (positive)	$> -3$ and $\leq -2$
Tending towards variation (positive)	$> -2$ and $\leq -1.5$
No statistical variation	$< 1.5$ and $> -1.5$
Tending towards variation (negative)	$\geq 1.5$ and $< 2$
Variation (negative)	$\geq 2$ and $< 3$
Significant variation (negative)	$\geq 3$

Note: for the following indicators the variation bands are different:

- Child Immunisation indicators. These are scored against the World Health Organisation target of 95% rather than the England average. Note that practices that have “Met 90% minimum” have not met the WHO target of 95%.
- The percentage of respondents to the GP patient survey who responded positively to how easy it was to get through to someone at their GP practice on the phone uses a rules based approach for scoring, due to the distribution of the data. This indicator does not have a CCG average.
- The percentage of women eligible for cervical cancer screening at a given point in time who were screened adequately within a specified period (within 3.5 years for women aged 25 to 49, and within 5.5 years for women aged 50 to 64). This indicator does not have a CCG average and is scored against the national target of 80%.

It is important to note that z-scores are not a judgement in themselves, but will prompt further enquiry, as part of our ongoing monitoring of GP practices.

Guidance and Frequently Asked Questions on GP Insight can be found on the following link: <https://www.cqc.org.uk/guidance-providers/gps/how-we-monitor-gp-practices>

Note: The CQC GP Evidence Table uses the most recent validated and publicly available data. In some cases at the time of inspection this data may be relatively old. If during the inspection the practice has provided any more recent data, this can be considered by the inspector. However, it should be noted that any data provided by the practice will be unvalidated and is not directly comparable to the published data. This has been taken into account during the inspection process.

## Glossary of terms used in the data.

- **COPD:** Chronic Obstructive Pulmonary Disease
- **PHE:** Public Health England
- **QOF:** Quality and Outcomes Framework
- **STAR-PU:** Specific Therapeutic Group Age-sex weightings Related Prescribing Units. These weighting allow more accurate and meaningful comparisons within a specific therapeutic group by taking into account the types of people who will be receiving that treatment.